Wildlife Conservation in the Lower South Platte Basin of Colorado

GRAD 592 The South Platte River: Colorado's Lifeblood October 31st, 2023





Ducks Unlimited conserves restores and manages wetlands and associated habitats for DUCKS North America's waterfowl.

R

These habitats also benefit other wildlife and people.

DU has conserved more than 16 million acres of waterfowl habitat



Wildlife Habitats Associated with the South Platte River (and its waters)

- **Riverine Habitats**
- **Riparian Habitats**
- **Agricultural/Municipal Habitats**

Diversion, Storage & Conveyance

Irrigated Pasture, Hayland, & Croplands

Parklands



FISH



Orangespotted sunfish (Lepomis humilis, Family Centrarchidae) are among the most colorful fish on Colorado's eastern plains. They are typically 2-3 inches long but can be up to 6 in.



Redbelly dace (Family Cyprinidae) are small native fish of the Colorado plains. Their name comes from the red color of their undersides during the summer months. Brassy minnows (Hybognathus hankinsoni, Family Cyprinidae) are small native fish of the Colorado plains. They inhabit pools and channels within small streams.



Living only about four years, plains topminnows (Fundulus sciadicus, Family Fundulidae) are very small, growing to an average of 1.5 inches in Colorado.

Colorado Parks & Wildlife - Wetlands Priority Species (state.co.us)





Two species of leopard frogs occur in Colorado. Northern leopard frogs (Lithobates pipiens; primary photo, brighter green) are more widespread than plains leopard frogs (L. blairi; inset).





Red-sided garter snakes (Thamnophis sirtalis parietalis, Family Colubridae) occur in wetlands on Colorado's northeastern plains.

Yellow mud turtles (Kinosternon flavescens, Family Kinosternidae) are found in wetlands on the far eastern plains of Colorado. They lay their eggs in sandy soil.



Colorado Parks & Wildlife - Wetlands Priority Species (state.co.us)



Preble's meadow jumping mouse (Zapus hudsonius preblei, Family Dipodidae) is a rare small mammal that lives in dense riparian vegetation along the Front Range.

Colorado Parks & Wildlife - Wetlands Priority Species (state.co.us)

MAMMALS





Northern river otters (Lontra canadensis, Family Mustelidae) occupy streams and beaver ponds across Colorado's western slope.




Wildlife of the Platte Basin in Nebraska PLATTE RIVER RECOVERY IMPLEMENTATION PROGRAM SPECIES



Platte River Recovery Implementation Program (platteriverprogram.org)




with a wide wingspan, red eye patch, and loud trumpeting call.



Colorado Parks & Wildlife - Wetlands Priority Species (state.co.us)

BIRDS






BIRDS – MIGRATORY WATERFOWL

la la Colorado Parks & Wildlife - Wetlands Priority Species (state.co.us)




©michaelfurtman.com

The Platte River & Migratory Waterfowl




The Platte River & Migratory Waterfowl





YEAR	CO		Ŵ		ND. M	417	50 1	VE I	হৈ ৷	DK	NM	TX	TOTAL
1948	180,743	(36.607)	68,380	6,603	12,048	199,759	184,447	109,740	42,300	19,850	94,565	473,575	1,385,40
1949	216,280	(1,070)	48,000	(13,777)	3,434	153,451	104,390	183,026	80,800	132,720	187,910	423,850	1,539,80
1950	366,625	149,275	60,410	(1,367)	427	163_378	169,511	271,591	76,920	65,075	73,640	611,810	1,859,36
°1951	271,600	54,2	1000 000	Mar (2) 2 -		- M					79,895	629,080	1,720,91
1957	319,100	107,7									43,380	381,600	1,623,55
1953	379,345	161,5	1)=	N A L		NITE		NI IN	ITC		68,925	504,420	1,655,02
1954	321,565	104,2	5				RC		3		17,935	449,240	1,773,40
1955	310,826	23,4									30,581	603,994	2,060,26
1956	258,214	40.8		THE CONTRACT		and the second of the					48,467	1,004,201	2,011,88
1957	556,393	339,0		C. Ten a			and the second		Charles and the second s		53,713	420,438	2,294,84
1958	686,339	468,8		e .		and the second second		Contraction in the second			33,649	738,490	4,213,48
1959	427,870	210,5	C.						Contraction of the second		38,365	469,904	2,461,38
1960	397,781	180,4									27,899	610,307	1,952,55
1961	335,728	118,3									21,518	176,116	1,668,50
1962	266,573	49,2 29,	2								51,541	397,480	1,463,55
1963	246,465	Last a								and and the	59,622	259,981	1,657,63
1964	332,377	115.0								MARC.	28,068	604,576	2,313,03
1965 1966	195,784 224,669	11 (21,5									22,785	494,623	
1967		71,3								and the second	20,113	233,826 144,550	1,689,68 2,128,70
1968	288,736 329,763		and the second	C. States						A Carlos	48,109	367,232	2,421,66
1969	273,285	112,4 55,5	E	- Alexander						and the second s	30.831	143,165	1,672,43
1970	430,708	213,3		The second	The second			and the state of the		as and	01,856	433,217	2,485,40
1971	234,396	77,6			Constant States						62.048	381,305	2,130,25
1972	341,232	123 8								No.	74,821	1,163,150	3,363,01
1973	233,038	15.6					1.3 、统济和			4. 20.7	61,209	454,973	2,342,32
1974	156,535	(60.	the second		A Constant	the states		the all weather	"q-" "	1.1.1	54,767	518,495	1,562,62
1975	281,570	1 (60,1			and the second		Stander St.	and the second	A share and	· · · · · · · · · · · · · · · · · · ·	53,158	541,192	1,880,87
'1976°	271,100	53.7					and the state of the state	des a sector	A		71,386	413,369	2,065,63
1977	231,200	13,8	the second second		and the second		and the second		1 martin	The second	94,351	590,627	2,245,55
1978	273,600	56,2	and the second								37.041	186,300	2,194,90
1979	184,379	4.(32,5m)	21,340	[33,831]	,00U	-2ວ,5ช,	144,873	.29,4,24,3.	510,541	121,605	76,734	428,400	
1380	221,400	4,050	7,200	(54,577)	8,100	39,500	168,200	371.821	293,200	102,276	34,378	277,200	
1981	376,400	159,050	90,000	28 223	15,500	28,000	246,500	487,089	448,400	120,078	31,152	379,300	
1982	174,700	42,650)	49,800	(11,977)	4,700	22,700	65,400	259,138	497,200	138,535	17,200	236,400	1,465,77
1983	106,344	(111,006)	33,065	[28,712]	6,000	21,113	223,500	314_115	345,959	101,000	33,600	169,400	
1984	79.395	*1127.9551	27 552	124 2251	952	10 1004	37 617	69,204	222,525	220 990	36 DID	252 200	277 20





August 1998

1


- 42

Sec.

Energetic Cost of Flight

42.7 KCAL/Bird/Hour (12.5 times Basal Metabolic Rate)

BIOENERGETIC GAPS



ON THE SOUTH PLATTE



©michaelfurtman.com

Water Supply Gaps in the South Platte Basin

(Doesn't represent environmental and recreational water needs in the Basin)





Figure 118: South Platte River Basin Comparison of Average Annual Gaps

https://cwcb.colorado.gov/colorado-water-plan/technical-update-to-the-plan





BUY & SELL WATER

WATER RIGHTS FOR SALE:

These are the water rights available for sale. For more information, or to make an offer, contact us.

Show 16 🛩 entries			Search:		
Water Basin:	Description:	Quantity:	Price per share:	Availability	\$
Big Thompson Basin	CBT	20	\$65,000.00	Sold	
Big Thompson Basin	Home Supply	4	\$250,000.00	Sold	
Big Thompson Basin	Loveland Waterbank	20	Negotiable	Sold	
Cache la Poudre	Cache la Poudre River Direct	8	\$43,000.00	Sold	
Cache la Poudre	Larimer & Weld Irrigation System	4	\$75,000.00	Available	
Cache la Poudre	Whitney Ditch	4	\$165,000.00	Sold	
South Platte River Basin	Fort Morgan Ditch	20	Negotiable	Available	
South Platte River Basin	Fulton; with 70 acres	30	\$2,500,000 total	Sold	
South Platte River Basin	Fulton	4.1	\$50,000	Available	
South Platte River Basin	Highland Ditch	5	\$275,000	Sold	
South Platte River Basin	Lake McIntosh	2	\$9,500	Available	
South Platte River Basin	Lower Latham	1	\$700,000.00	Sold	
South Platte River Basin	Mountain Mutual Reservoir Company	12	\$50,000.00	Sold	
South Platte River Basin	Slate Ditch	4	\$25,000.00	Sold	

© michaelfurtman.com

Techniques of Wetland Conservation in a Water-short Basin

Conservation Easement Acquisitions on the Platte to Protect Habitats in Perpetuity





Warmwater Slough Restoration on the Lower South Platte River in Colorado

Techniques of Wetland Conservation in a Water-short Basin



Shallow-water Wetland Enhancements on the lower **South Platte River** in Colorado

Techniques of Wetland Conservation in a Wate




[©]michaelfurtman.com


Augmentation Pond Development on the Lower South Platte **River** in Colorado

Techniques of Wetland Conservation in a Water-short Basin


Managed Aquifer Recharge At Higher River Stages in the Non-irrigation Season



Managed Aquifer Recharge At Low River Stages in Summer/Fall



Wetland Habitat Development Managed Aquifer Recharge via



The End